



## R06DGC

COMPACT COMBI OVEN  
6 TRAYS GN 1/1 - 4 TRAYS GN 1/1  
DIGITAL CONTROL 2,4" LCD DISPLAY  
SELF CLEAN INTEGRATED



## FUNCTIONAL CHARACTERISTICS

Display	2,4" LCD IPS
Supply	Electric
Timer	-
Number of motors	1
Motor speeds	5
Max cooking temperature	260 °C
Core probe	Single point PT1000
Cooking chamber material	AISI 304
Opening door	Right handle Left handle (optional)
Chimney	30 mm open
Humidification	Direct Injection
Air injection	-
Version	Standard

## STANDARDS

Certification	CE
---------------	----

## TRAYS

Trays rack	Metal sheet GA 8/46,5 mm (GN1/1)
Max tray load	4 kg

## DIMENSIONS

Oven size with handle WxDxH (mm)	532 x 913 x 748
Oven size without handle WxDxH (mm)	532 x 860 x 748
Chamber size WxDxH (mm)	380 x 563 x 376
Unit weight (Kg)	72

## PACKAGING

Packaging	PALLET + CARTON BOX
Packaging size WxDxH (mm)	600 x 1000 x 927
Packaging size overlapping WxDxH (mm) 6+6	600x1000x1854
Packaging size overlapping WxDxH (mm) 10+10	600x1000x2215
Packaging size overlapping WxDxH (mm) 10+6	600x1000x2035
Unit weight with packaging (Kg)	86
Crate packaging size (optional)	600 x 1008 x 1019



## ELECTRICAL DATA

### HEATERS 6,5kW 50/60Hz

Power	6,3kW
Frequency	50/60Hz
Power supply	380-415V 3N~/220-240V 3~
Amperage	9,8A / 15,9A
Power cord req.	5G1 / 4G2,5

## WATER CONNECTION REQUIREMENTS

Humidification Water Inlet	3/4" M Gas threaded
Washing Water Inlet	3/4" M Gas threaded
Water drain	30 mm
Max water hardness	5 °f
Water pressure requirement min-max	150-200 kPa

## CONSUMPTION

Humidification Water (L/h)	3,9l/h max consumption
Rinse Water @2barG	7,9l
Short Washing Water @2barG	24,9l
Long Washing Water @2barG	31,1l
Short Washing Detergent *	70,3g
Long Washing Detergent *	141g

## CONNECTIVITY

USB	USB 2.0
Bluetooth	-
Wi-Fi	Standard
Cloud	Standard

## ACCESSORIES

Self clean system kit	-
Oven stand	TA5361H80 TA5361H50 TA5361H30
Hood (Air)	-
Water condensation hood	PORIMWF1 PORIMWF2
Proofer	-



Stacking kit for 2 ovens	SKRI
Smoker	SMK02
Water softner cover	WS10
Water softner 6800 l	WS11
Water softner 12000 l	WS12
Water pressure adapter	WPA
Water shower kit	S1
Detergent 750 ml (for Self clean system or Manual shower kit)	DT1
Detergent 6 kg (only with self clean system)	DT2
Detergent 10 kg (only with self clean system)	DT4

